


THE AMENDMENT

In the Claims:

1. (Currently Amended) A compound of Formula I:




Formula I

or a pharmaceutically acceptable salt thereof,

wherein R is substituted or unsubstituted aryl, heteroaryl, cycloalkyl, heterocyclic, alkoxy, cycloalkoxy, aryloxy, heteroaryloxy, alkylamino, cycloalkylamino, arylamino, heteroarylamino; or

R is



wherein X' and X'' are each independently hydrogen, hydroxy or fluoro, provided when one of X' and X'' is fluoro, the other is not hydroxy; or

X' and X'' together form an oxo group,

Z is selected from the group consisting of alkyl, nitrogen, oxygen, sulfur and a bond covalently linking R₁ to -CX'X''-

R₁ is selected from the group consisting of hydrogen, substituted or unsubstituted alkyl, alkenyl, aryl, cycloalkyl, cycloalkenyl, heteroaryl, and heterocyclic;

R₂ is selected from the group consisting of hydrogen, C₁-C₄ alkyl, ~~alkylalkoxy, alkylthioalkoxy~~, -COOR_{2a}, and -COR_{2a} wherein R_{2a} is hydrogen, C₁₋₄ alkyl, cycloalkyl, or heterocycle;

R₃ is H, substituted or unsubstituted, linear-, branched- or ~~cyclo-alkyl~~ alkyl, cycloalkyl, or substituted or unsubstituted phenyl;


R₅ is -Y-R₆, wherein Y is substituted or unsubstituted alkyl, alkenyl, aryl, cycloalkyl, cycloalkenyl, heteroaryl, heterocyclic, or a bond; and

R₆ is substituted or unsubstituted aryl, heteroaryl, cycloalkyl, heterocycle, heterocycloalkyl, aryloxy, heteroaryl N-oxide, or arylsulfide;
provided when Y is a bond, then either R₆ is cycloalkyl, or R₂ is alkylalkoxy or alkylthioalkoxy.

2. (Original) The compound of Claim 1, wherein R = -CR₁X'X'', X' is H or OH, X'' is H, and R₁ is aryl or substituted aryl.

3. (Original) The compound of Claim 1, wherein R₃ is H or t-butyl.

4. (Currently Amended) A compound of Formula II:




Formula II

wherein R₁ is aryl, or substituted aryl; X' is H or OH; R₂ is CH₃, R₃ is H, or t-butyl; R₇ is aryl, substituted aryl, or ~~U-aryl~~ U-aryl, wherein U is O or CH₂; and R₈ and R₉ are independently H, or alkyl.

5. (Original) A pharmaceutical formulation comprising the compound according to Claim 1 and a pharmaceutically acceptable carrier.
6. (Original) A method for inhibiting β -amyloid peptide release or synthesis in a cell comprising administering to said cell a compound according to Claim 1, in an amount effective in inhibiting the cellular release and/or synthesis of β -amyloid peptide.
7. (Original) A method for inhibiting γ -secretase activity comprising administering to a host an effective amount of the compound according to Claim 1.
8. (Original) A method for treating or preventing a neurological disorder associated with β -amyloid peptide production comprising administering to a host a pharmaceutical formulation comprising a therapeutically effective amount of the compound according to Claim 1.
9. (Original) The method according to Claim 8, wherein said neurological disorder is Alzheimer's disease.
10. (New) The compound of Claim 3, wherein R_2 is methyl.
11. (New) The compound of Claim 10, wherein Y is $-\text{CH}_2-\text{CH}_2-$; $\text{CH}_3-\text{CH}<$; $-\text{CH}(\text{CH}_3)-$; $-\text{C}(\text{CH}_3)_2\text{CH}_2-$; $\text{CH}_3-\text{CH}(\text{phenyl})<$; $>\text{CH}(\text{phenyl})$; or $-\text{CH}=\text{CH}-$.
12. (New) The compound of Claim 2, wherein R_1 is 3,5-difluorophenyl.


13. (New) A compound of Formula II:



Formula II

wherein R_1 is aryl or heteroaryl, cycloalkyl, or heterocycle, optionally substituted with one or more of $-F$, $-Cl$, $-Br$, $-OH$, $-CF_3$, C_{1-6} alkyl; C_{1-3} alkoxy and methylenedioxy, X' is H or $-OH$; R_3 is H , or t -butyl; R_7 is aryl or U -aryl optionally substituted with one or more groups consisting of C_{1-6} alkyl, chloro, fluoro, bromo, $-NO_2$, C_{1-3} alkoxy, $-CF_3$, $-N(R_{7a})_2$, $C(O)R_{7a}$, $C(O)N(R_{7a})_2$, and $-NHC(O)R_{7a}$, wherein each R_{7a} is independently chosen from H and C_{1-6} alkyl, U is O , $-CH_2-$ or S ; and R_8 and R_9 are each independently C_{1-6} alkyl.

14. (New) The compound of Claim 13, wherein R_3 is H and R_8 and R_9 are both methyl.
15. (New) The compound of Claim 13, wherein R_1 is 3,5-difluorophenyl and X' is hydroxyl.
16. (New) A compound of Formula III



Formula III

wherein R_1 is aryl, heteroaryl, cycloalkyl or heterocycle optionally substituted with one or more of $-F$, $-Cl$, $-Br$, $-OH$, $-CF_3$, C_{1-6} alkyl; C_{1-3} alkoxy and methylenedioxy, X' is H or $-OH$; R_3 is H , or t -butyl; R_7 is aryl, heteroaryl, cycloalkyl or heterocycle optionally substituted with one or more groups consisting of C_{1-6} alkyl, chloro, fluoro, bromo, $-NO_2$, C_{1-3} alkoxy, $-CF_3$, $-N(R_{7a})_2$,

$C(O)R_{7a}$ and $-C(O)N(R_{7a})_2$, $-NHC(O)R_{7a}$, wherein each R_{7a} is independently chosen from H and C_{1-6} alkyl, and ring A is a cycloalkyl ring having 3 to 10 carbon atoms or is a heterocycle having 5 to 7 atoms chosen from carbon, nitrogen, oxygen and sulfur, and is optionally substituted with at least one of C_{1-6} alkyl or C_{3-10} cycloalkyl.

17. (New) The compound of Claim 16, wherein ring A is optionally substituted cyclopropyl, cyclopentyl, cyclohexyl, piperidinyl, pyrrolidinyl, furanyl, or pyranyl.

18. (New) The compound of Claim 17, wherein R_3 is H, R_1 is 3,5-difluorophenyl and X' is hydroxyl.

19. (New) The compound of Claim 13, wherein R_7 is aryl optionally substituted with one or more groups consisting of C_{1-6} alkyl, chloro, fluoro, bromo, $-NO_2$, C_{1-3} alkoxy, $-CF_3$, $-N(R_{7a})_2$, $C(O)R_{7a}$ and $-C(O)N(R_{7a})_2$, $-NHC(O)R_{7a}$, wherein each R_{7a} is independently chosen from H and C_{1-6} alkyl.

20. (New) The compound of Claim 1 chosen from the group consisting of: N-[2-*tert*-butyl-5-(1-methyl-4-phenylpiperidin-4-yl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluorophenyl)-2-hydroxyacetylaminopropionamide, 2-[2-(3,5-difluorophenyl)-2-hydroxyacetylaminopropionamide]-N-[5-(1-methyl-4-phenylpiperidin-4-yl)-2H-pyrazol-3-yl]propionamide, 2-[2-(3,5-difluorophenyl)-2-hydroxyacetylaminopropionamide]-N-[5-(1-phenyl-cyclopropyl)-2H-pyrazol-3-yl]propionamide, 2-[2-(3,5-difluorophenyl)-2-hydroxyacetylaminopropionamide]-N-[5-(1-phenyl-cyclopentyl)-2H-pyrazol-3-yl]propionamide, N-{5-[1-(4-chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluorophenyl)-2-hydroxyacetylaminopropionamide, N-{5-[1-(4-nitro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluorophenyl)-2-hydroxyacetylaminopropionamide, 2-[2-(3,5-difluorophenyl)-2-hydroxyacetylaminopropionamide]-N-[5-(1,1-diphenyl-ethyl)-2H-pyrazol-3-yl]propionamide, 2-[2-(3,5-difluorophenyl)-2-hydroxyacetylaminopropionamide]-N-(5-styryl-2H-pyrazol-3-yl)propionamide, N-{5-[1-(4-Amino-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluorophenyl)-2-hydroxyacetylaminopropionamide, N-{5-[1-(4-Acetylaminophenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluorophenyl)-2-

hydroxy-acetyl-amino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(4-fluoro-phenyl)-cyclopentyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(4-chloro-phenyl)-cyclopentyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1-phenyl-cyclohexyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(2-fluoro-phenyl)-cyclopentyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(2-fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(3,5-dimethyl-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(2,4-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(2-methyl-2-phenyl-propyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(4-trifluoromethyl-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, Pyridine-2-carboxylic acid (1-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-amide, Isoquinoline-1-carboxylic acid (1-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-amide, 3-Methyl-N-{1-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-butyramide, N-{1-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-butyramide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(4-dimethyl-amino-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-(2-Dimethyl-amino-acetyl-amino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 1,2,3,4-Tetrahydro-isoquinoline-3-carboxylic acid {1-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-amide, N-{5-[1-(4-Chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-methyl-amino-acetyl-amino)-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2(S)-hydroxy-acetyl-amino]-N-[5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2(R)-hydroxy-acetyl-amino]-N-[5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, N-{1-[5-(1,1-Dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-2-hydroxy-3-methyl-butylamide, N-(1-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-2-hydroxy-3-methyl-butylamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(4-phenyl-tetrahydro-pyran-4-yl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-

pyrazol-3-yl}-propionamide, 2-Chloro-N-(1-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-benzamide, N-(1-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-2-trifluoromethyl-benzamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-hydroxy-2-(2-trifluoromethyl-phenyl)-acetyl-amino]-propionamide, 2-[2-(4-tert-Butyl-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(4-tert-Butyl-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3-Chloro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-2-p-tolyl-acetyl-amino)-propionamide, 2-[2-(4-Chloro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-hydroxy-2-(4-methoxy-phenyl)-acetyl-amino]-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-hydroxy-2-(4-trifluoromethyl-phenyl)-acetyl-amino]-propionamide, 2-[2-(2-Chloro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(4-Chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-cyclohexyl-amino)-propionamide, N-(1-{5-[1-(4-Fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-2-hydroxy-3-methyl-butyramide, N-{2-tert-Butyl-5-[1-(4-fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, N-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, N-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, {1-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-carbamic acid tert-butyl ester, N-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-2-phenylacetyl-amino-propionamide, N-{1-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-butyramide, N-[2-tert-Butyl-5-(4-phenyl-tetrahydro-pyran-4-yl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, N-(1-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-3-trifluoromethyl-benzamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(4-tert-butyl-phenyl)-2-hydroxy-

acetylamino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3-chloro-phenyl)-2-hydroxy-acetylamino]-propionamide, 2-(2-Cyclohexyl-2-hydroxy-acetylamino)-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(4-fluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-2-phenyl-acetylamino)-propionamide, 2-(2-Hydroxy-2-phenyl-acetylamino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-(2-Cyclohexyl-2-hydroxy-acetylamino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, [2-(3,5-Difluoro-phenyl)-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-(2-Cyclohexyl-acetylamino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, N-(1-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}carbonyl)-ethyl)-3-methyl-3-phenyl-butylamide, (2-Benzo[1,3]dioxol-5-yl-acetylamino)-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(4-Chloro-phenyl)-2-hydroxy-acetylamino]-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(2,3-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Dimethoxy-phenyl)-acetylamino]-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Bis-trifluoromethyl-phenyl)-acetylamino]-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-(2-Benzo[1,3]dioxol-5-yl-acetylamino)-N-{2-tert-butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-hydroxy-2-(4-trifluoromethyl-phenyl)-acetylamino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-acetylamino]-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-(4-chloro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-(2-cyclohexyl-acetylamino)-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(2,3-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-2-phenyl-acetylamino)-propionamide N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-(2-hydroxy-2-phenyl-acetylamino)-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-(2-cyclohexyl-2-hydroxy-acetylamino)-propionamide, N-(5-Cyclopentyl-2H-pyrazol-3-yl)-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-

propionamide, 2-[2-(3,5-Difluorophenyl)-2-hydroxy-acetyl-amino]-*N*-[5-(1-methyl-1-phenylethyl)-2*H*-pyrazol-3-yl]-propionamide, (2*S*)-2-(3,4-Dichlorophenyl-amino)-*N*-{5-[1-(3,5-difluorophenyl)-1-methylethyl]-2*H*-pyrazol-3-yl}-propionamide, 2-(3,5-Difluoro-phenyl)-2-hydroxy-*N*-{[5-(1-methyl-1-phenyl-ethyl)-2*H*-pyrazol-3-yl]-carbamoyl}-thiophen-2-yl-methyl}-acetamide, *N*-[5-(1-Cyclopropyl-4-phenylpiperidin-4-yl)-2*H*-pyrazol-3-yl]-2-[2'-(3,5-difluorophenyl)-2'-hydroxyacetyl-amino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-*N*-[5-(1-methyl-1-pyridin-3-yl-ethyl)-2*H*-pyrazol-3-yl]-propionamide, *N*-{5-[1-(3-Chloro-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-*N*-{5-[1-(3,4-difluoro-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-*N*-{5-[1-(3-fluoro-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-propionamide 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-*N*-{5-[1-methyl-1-(3-trifluoromethyl-phenyl)-ethyl]-2*H*-pyrazol-3-yl}-propionamide, *N*-{5-[1-(3,4-Dichloro-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-*N*-{5-[1-(3-methoxy-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-propionamide, *N*-{5-[1-(4-Chlorophenylsulfanyl)-1-methylethyl]-2*H*-pyrazol-3-yl}-2-[2-(3,5-difluorophenyl)-2-hydroxyacetyl-amino]-propionamide, 2-Hydroxy-3-methyl-*N*-{1-[5-(1-methyl-1-phenylethyl)-2*H*-pyrazol-3-yl]-carbamoyl}ethyl}-butyramide, 2-Acetyl-amino-*N*-[5-(1,1-dimethyl-2-phenylethyl)-2*H*-pyrazol-3-yl]-propionamide, 2-[2'-(3,5-Difluorophenyl)-2'-oxo-acetyl-amino]-*N*-[5-(1-methyl-4-phenylethyl)-2*H*-pyrazol-3-yl]-propionamide, 2-[2'-(3,5-Difluorophenyl)-2'-hydroxyacetyl-amino]-*N*-[5-(1-methyl-1-phenylethyl)-2*H*-pyrazol-3-yl]-propionamide, 2-[2'-(3,5-Difluorophenyl)-2'-hydroxyacetyl-amino]-*N*-[5-[1-2,3-difluorophenyl)-1-methylethyl]-2*H*-pyrazol-3-yl]-propionamide, *N*-[5-(1-Cyclohexyl-1-methyl-ethyl)-2*H*-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, 2-(3-Butyl-ureido)-*N*-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-propionamide and 2-(3,4-Dichlorophenyl-amino)-*N*-{5-[1-(3,5-difluorophenyl)-1-methylethyl]-2*H*-pyrazol-3-yl}-propionamide.